


Listing of Claims

1. (Cancelled)
2. (Cancelled)
3. (Cancelled)
4. (Cancelled)
5. (Cancelled)
6. (Cancelled)
7. (Cancelled)
8. (Cancelled)
9. (Cancelled)
10. (Cancelled)
11. (Cancelled)
12. (Cancelled)
13. (Cancelled)
14. (Cancelled)
15. (Currently Amended) A liquid composition for depositing an active material onto a surface, said composition comprising:
 - an active material selected from electroluminescent materials; and
 - at least one liquid medium for depositing an active material onto a surface selected from compounds having the structure



wherein:

R is C₁-C₁₀ alkyl, C₁-C₁₀ alkoxy, or C₁-C₁₀ oxyalkyl,

R_f is C₂-C₂₂ fluorinated alkyl, C₁-C₁₀ fluorinated alkenyl, C₁-C₁₀ fluorinated oxyalkyl, or C₁-C₁₀ fluorinated oxyalkenyl,

X is H, F, Cl, Br, C₁-C₁₀ alkyl, C₁-C₁₀ alkoxy C₁-C₁₀ oxyalkyl, C₁-C₁₀ fluorinated alkyl, C₁-C₁₀ fluorinated alkenyl, C₁-C₁₀ fluorinated oxyalkyl, or C₁-C₁₀ fluorinated oxyalkenyl,

m is from 0-5, and

n is from 0-5, wherein m + n is no greater than 5.

16. (Cancelled)

17. (Cancelled)

18. (Cancelled)

19. (Cancelled)

20. (Cancelled)


21. (Cancelled)

22. (Currently Amended) A liquid composition for depositing an active material onto a surface, said composition comprising:


an active material selected from electroluminescent materials; and

at least one liquid medium for depositing an active material onto a surface


selected from compounds A through K, M through O and mixtures thereof:




A




B




C




D




F




G




I




K




~~L~~



M



N




O

23. (Currently Amended) A liquid composition for depositing an active material onto a surface, said composition comprising:

an active material selected from electroluminescent materials; and

at least one liquid medium for depositing an active material onto a surface selected from compounds having the structure



wherein:

R and X are each, independently, C_1 - C_{10} alkyl, C_1 - C_{10} alkoxy, or C_1 - C_{10} oxyalkyl, R_f is ~~C_2 - C_{10} fluorinated alkyl~~, C_1 - C_{10} fluorinated alkenyl, C_1 - C_{10} fluorinated oxyalkyl, or C_1 - C_{10} fluorinated oxyalkenyl,

m is from 0-5, and

n is from 0-5, wherein $m + n$ is no greater than 5.

24. (Previously Presented) A liquid composition of claim 15 capable of forming a static contact angle of no greater than 40 degrees on said surface.

25. (Previously Presented) A liquid composition of claim 15 wherein the static contact angle is no more than 35 degrees.

26. (Previously Presented) A liquid composition of claim 15 wherein the static contact angle is no more than 20 degrees.

27. (Previously Presented) A liquid composition of claim 22 capable of forming a static contact angle of no greater than 40 degrees on said surface.

28. (Previously Presented) A liquid composition of claim 22 wherein the static contact angle is no more than 35 degrees.

29. (Previously Presented) A liquid composition of claim 22 wherein the static contact angle is no more than 20 degrees.

30. (Previously Presented) A liquid composition of claim 23 capable of forming a static contact angle of no greater than 40 degrees on said surface.

31. (Previously Presented) A liquid composition of claim 23 wherein the static contact angle is no more than 35 degrees.

32. (Previously Presented) A liquid composition of claim 23 wherein the static contact angle is no more than 20 degrees.

33. (Previously Presented) A liquid composition of claim 15 wherein depositing is by continuous deposition.

34. (Previously Presented) A liquid composition of claim 15 wherein depositing is by discontinuous deposition.

35. (Previously Presented) A liquid composition of claim 22 wherein depositing is by continuous deposition.

36. (Previously Presented) A liquid composition of claim 22 wherein depositing is by discontinuous deposition.

37. (Previously Presented) A liquid composition of claim 23 wherein depositing is by continuous deposition.

38. (Previously Presented) A liquid composition of claim 23 wherein depositing is by discontinuous deposition.